

SAFETY DATA SHEET

Page 1 of 4

LTG1

Revision 0 Revision date 15-Jan-2009

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name	LTG1 (Super Strength Instant Adhesive)
Company	LimbTex Ltd
	Unit 1
	Elizabeth Business Park
	Tigers Close
	South Wigston
	Leics.
	LE18 4WS
	info@limbtex.com
Telephone	0044 (0) 116 2785440
Fax	0044 (0) 116 2780227
Emergency telephone number	0044 (0) 116 2785440

2 HAZARDS IDENTIFICATION.

Main hazards

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. Irritating to eyes, respiratory system and skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients				
	Conc.	CAS	EINECS	Symbols/Risk phrases
Ethyl-2-cyanoacrylate (Ethyl cyanoacrylate)	90 - 100%	7085-85-0	230-391-5	Xi; R36/37/38
1,4-Dihydroxybenzene (Hydroquinone)	0 - 0.5%	123-31-9	204-617-8	Carc Cat 3; R40 Muta Cat 3; R68 Xn; R22 Xi; R41R43 N; R50

4. FIRST AID MEASU	JRES
Skin contact	Wash off immediately with plenty of soap and water. Seek medical attention. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. See medical attention. Seek medical attention if irritation or symptoms persist.
Inhalation	Move the exposed person to fresh air. Seek medical attention. Seek medical attentic irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEAS	URES
Extinguishing media	Use extinguishing media appropriate to the surrounding fire conditions.
Fire hazards	Burning produces irritating, toxic and obnoxious fumes. Vapour may travel considerabl distance to source of ignition and flash back.
Protective equipment	Wear suitable respiratory equipment when necessary.

Revision	0
Revision date	15-Jan-2009

6. ACCIDENTAL RELEASE	MEASURES
Personal precautions	Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Keep personnel away from spill.
Environmental precautions	s Do not allow product to enter drains. Do not flush into surface water. Prevent furthe spillage if safe.
Clean up methods	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal.
7. HANDLING AND STORA	GE
Handling	Adopt best Manual Handling considerations when handling, carrying and dispensin Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

not breathe gas/fumes/vapour/spray. Do not eat, drink or smoke in areas where this
product is used or stored. Do not empty into drains. Open container carefully.StorageKeep container tightly closed and in a well-ventilated place. Keep in a cool, dry, well
ventilated area. Store in correctly labelled containers. Avoid contact with: oxidising
agents. Avoid contact with: direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Ethyl-2-cyanoacrylate (Ethyl cyanoacrylate)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: 0.3	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 1.5
1,4-Dihydroxybenzene (Hydroquinone)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 0.5 WEL 15 min limit mg/m3: -
Engineering measures	Ensure adequate ventilation of the working area.	
Occupational exposure controls	Keep away from food, drink and animal feedings	tuffs.
Respiratory protection	Do not breathe gas/fumes/vapour/spray. In case tract (e.g. asthmatics and those who suffer from work with the product. Wear suitable protective e respirator with filter P2 (EN 143)	chronic bronchitis) it is unadvisable to
Hand protection	Butyl rubber gloves. Wash hands after handling	the product.
Eye protection	Avoid contact with eyes. In case of splashing, we	ear: Safety glasses.
Protective equipment	Adopt best Manual Handling considerations whe Wear suitable protective equipment. Protect clot	

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Clear.
Odour	Characteristic.
Boiling point	>150°C
Flash point	>85 <i>°</i> C
Viscosity	Cone & Plate - 10-30 mPa.s

LTG1

Revision	0
Revision date	15-Jan-2009

	Revision date 15-Jan-2009
10. STABILITY AND REACT	ΓΙVITY
Stability	Stable under normal conditions.
Conditions to avoid	Direct sunlight. Heat. Moisture. Alkalis.
Materials to avoid	Reacts violently with water. Strong bases. Amines. Oxidising agents.
Hazardous decomposition products	Burning produces irritating, toxic and obnoxious fumes. Hazardous decomposition products Carbon oxides. Nitrogen oxides.
11. TOXICOLOGICAL INFO	RMATION
Acute toxicity	May cause allergic reactions in susceptible people. May cause irritation to skin, eyes and mucous membranes.
Corrosivity	Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Sensitization	May cause sensitisation by inhalation and skin contact.
Repeated or prolonged exposure	May cause allergic reactions in susceptible people.
Mutagenic effects	No mutagenic effects reported.
Carcinogenic effects	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported.

12. ECOLOGICAL INFOR	MATION
Ecotoxicity	No data is available on this product.
Mobility	No data is available on this product.
Degradability	More than 90% biodegradable.
Bioaccumulation	No data is available on this product.
13. DISPOSAL CONSIDE	RATIONS
General information	Dispose of in compliance with all local and national regulations. Do not allow product t enter drains. Do not empty into drains.
Disposal methods	Dispose of in compliance with all local and national regulations.
Disposal of packaging	Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. Once the product residues adhering to the walls of the containers have been rendered harmless, the product and hazard labels must be invalidated.

0 Revision 15-Jan-2009 **Revision date**

14. TRANSPORT INFORMATION

ADR/RID

UN 3334
Class 9
Proper Shipping AVIATION REGULATED
Name LIQUID, N.O.S, .

IMDG

UN 3334	Packing group -
Class 9	Marine pollutant NO
EmS Code -	
ΙΑΤΑ	
UN 3334	Packing group -
Class 9	Subsidiary risk -
Packing Instruction 906	Maximum quantity 220 L
(Cargo)	
Packing Instruction 906	Maximum quantity 100 L
(Passenger)	

Further information

The product is not classifed as dangerous for carriage.

Packing group -Hazard ID -

15. REGULATORY INFORMATION	
Symbols	Xi - Irritant
	×
Risk phrases	R36/37/38 - Irritating to eyes, respiratory system and skin.
Safety phrases	S2 - Keep out of the reach of children.
	S22 - Do not breathe dust.
	S23 - Do not breathe gas/fumes/vapour/spray.
	S24/25 - Avoid contact with skin and eyes.
	S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S51 - Use only in well-ventilated areas.
	P3 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
16. OTHER INFORMATION	N
Text of risk phrases in	R22 - Harmful if swallowed.
Section 3.	R36/37/38 - Irritating to eyes, respiratory system and skin.
	R40 - Limited evidence of a carcinogenic effect.
	R50 - Very toxic to aquatic organisms.
	R68 - Possible risk of irreversible effects.
Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.